- (2) An automobile or boat haulaway exceeding 66 feet in length may operate on designated highways and 5-mile access routes provided the trailer or semitrailer portion of the combination does not exceed 48 feet plus authorized rear overhang.
- (3) A stinger-steered automobile or boat haulaway exceeding 66 feet in length may operate on the national network and 5-mile access routes providing its overall length does not exceed 75 feet plus overhangs of not more than 3 feet to the front and 4 feet to the rear.

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; am. Register, January, 1993, No. 445, eff. 2-1-93.

Trans 276.06 Permits for vehicles operating in saddlemount combination or motor buses. For enforcement purposes, no permit is required for vehicles operating in double or triple saddlemount combination provided the overall length of the combination is 75 feet or less, or for the operation of any motor bus provided the overall length of the motor bus is 45 feet or less. This section applies to the national network and 5-mile access routes.

Note: The provision of Wisconsin law requiring a permit for these combinations (s. 348.27 (13), Stats., was preempted by the federal rule  $(23\ CFR\ 658.13\ (d)\ (1)\ iii.)$  when these vehicles operate on the designated system and access routes.

Note: The provision of Wisconsin law requiring a permit for the operation of motor buses in excess of 40 feet in length (s. 348.07 (1), Stats.) was preempted by federal law (49 USC Appx. § 2311 (a) as amended by s. 4006 (b) of the Intermodal Surface Transportation Efficiency Act of 1991) when these vehicles operate on the federally designated system and access routes.

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; am. Register, July, 1992, No. 439, eff. 8-1-92; am. Register, January, 1993, No. 445, eff. 2-1-93.

Trans 276.07 Designated highways. The following highways are designated for purposes of the operation of the specified vehicles and combinations with lengths as stated in s. 348.07 (4), Stats.:

	Route	From	To
(1)	USH 2 USH 2	MN Line at Superior MI Line W. of Florence	MI Line at Hurley MI Line E, of Florence
<b>(2)</b>	USH 8	MN Line at St. Croix Falls	MI Line at Norway, MI
(3)	USH 10	MN Line at Prescott	IH 43 N. of Manito- woc
	STH 11	USH 61-151 E. of Dubuque, Iowa	USH 51 in Janesville
	STH 11	IH 90 E. of Janesville	USH 14-STH 89, 5 miles W. of Delavan
	STH 11	IH 43 E. of Elkhorn	STH 31 in Racine
	USH 12	STH 79 N.W. of Me- nomonie	STH 25 in Menomonie
	USH 12	IH 94-CTH "EE" W. of Eau Claire	USH 10 at Fairchild
	USH 12	IH 90-94 at Lake Delton	IL Line at Genoa City
	STH 13	STH 82 S. of Adams	Bayfield
	USH 14	MN Line at LaCrosse	IL Line
(4)		CTH "J" N. of Rockland	IH 90 E. of Sparta
	STH 16	STH 78 at Portage	IH 94 N. of Waukesha
	STH 17	USH 8 in Rhinelander	Phelps

Register, December, 1994, No. 468

## 444 WISCONSIN ADMINISTRATIVE CODE

	Irans 270		
	Route USH 18	From IA Line at Prairie du Chien	To STH 134 N. of Cam- bridge
	USH 18 STH 19	STH 164 E. of Waukesha Waunakee	IH 94 E. of Waukesha STH 16 E. of Watertown
(5)	STH 20 STH 21 STH 22 STH 22 STH 22 STH 23	IH 94 W. of Racine STH 27 in Sparta USH 51 at North Leeds STH 76 W. of Bear Creek STH 29 E. of Shawano STH 11 E. of Shullsburg	STH 31 in Racine USH 41 at Oshkosh STH 54 S. of Manawa USH 45 in Clintonville USH 41 in Oconto IH 90-94 W. of Lake
	STH 23	USH 51 in Endeavor	Delton Taylor Drive in
(6)	STH 25 STH 26	Minnesota Line IH 90 at Janesville	Sheboygan USH 8 in Barron USH 151 S.E. of Waupun
	STH 26 STH 27	USH 151 N.E. of Waupun USH 18 in Prairie du Chien	USH 41 S.W. of Oshkosh STH 171 at Mt. Ster-
	STH 27	USH 14 S.E. of Viroqua	ling USH 8 in Ladysmith
	STH 28 STH 28 STH 29	STH 33 in Horicon STH 144 S. of Boltonville USH 10 in Prescott	USH 45 in Kewaskum STH 57 at Waldo STH 35 in River Falls
	STH 29	IH 94 W. of Elk Mound	USH 53 at Chippewa Falls
	STH 29	STH 124 S. of Chippewa Falls	USH 41 in Green Bay
(7)	STH 29 STH 30	USH 141 at Bellevue USH 151 in Madison	STH 42 in Kewaunee IH 90-94 E. of Madison
	STH 31 STH 32 STH 32	Illinois Line IH 43 in River Hills IH 43 N. of Port Washing-	STH 20 in Racine IH 43 E. of Grafton STH 57 in De Pere
	STH 32 STH 32 STH 32	ton USH 41 N. of De Pere USH 8 in Laona USH 45 in Three Lakes	STH 22 in Gillett STH 55 in Crandon MI Line in Land
	STH 33	STH 80 in Union Center	O'Lakes STH 32 in Port Wash-
	STH 34	STH 13 in Wisconsin	ington USH 51 N.E. of
(8)	STH 35	Rapids STH 11 N.E. of E. Du- buque	Knowlton USH 14 at West Ave- nue in La Crosse
	STH 35 STH 35 STH 35 STH 36 STH 37 STH 39	STH 93 at Centerville USH 10 in Prescott USH 8 in St. Croix Falls STH 70 N. of Siren STH 11 at Burlington USH 10 at Mondovi USH 151 in Mineral Point	USH 63 at Hager City IH 94 E. of Hudson STH 48 in Frederic IH 535 in Superior USH 45 in Franklin USH 12 in Eau Claire STH 69 in Monticello
	n) STH 37 STH 40	STH 88 S. of Mondovi IH 94 N.W. of Elk Mound	USH 10 in Mondovi STH 64 N. of Bloomer

Register, December, 1994, No. 468

## DEPARTMENT OF TRANSPORTATION

Trans 276

		2.41.0
Route USH 41	From IL Line S. of Pleasant Prai-	To IH 94 S.W. of Oak
USH 41	rie National Avenue in Milwaukee	Creek Garfield Avenue in Milwaukee
USH 41 STH 42	107th St. in Milwaukee IH 43 N.W. of Sheboygan	MI Line at Marinette STH 32 at Howards
STH 42	IH 43 at Manitowoc	Grove STH 57 S.W. of Stur- geon Bay
IH 43 STH 44	IH 90 at Beloit STH 73 at Manchester	USH 41 in Howard USH 41 S.W. of Oshkosh
(10) USH 45 USH 45	IL Line S. of Bristol USH 41 N. of Oshkosh	CTH "B" in Eden STH 150 W. of Mena-
USH 45	STH 76 at Greenville	sha MI Line at Land O'Lakes
STH 47 STH 47	USH 10 in Appleton USH 45 N. of Aniwa	STH 29 in Shawano USH 8 W. of Rhine- lander
STH 48	STH 70 in Grantsburg	STH 87 S. of Grantsburg
STH 49 (11)STH 50 USH 51	USH 41 E. of Brownsville USH 12 W. of Lake Geneva S. Corp. Limits of Janes- ville	USH 10 at Weyauwega
USH 51	IH 90 E. of Stoughton	STH 16 S.E. of Portage
USH 51 STH 52 USH 53 USH 53 STH 54 STH 54 (11m) USH 51	STH 78 N. of Portage USH 45 N. of Aniwa USH 14-61 in La Crosse IH 94 S.E. of Eau Claire STH 71 at Melrose STH 73 in Port Edwards IL Line at Beloit	USH 2 N. of Hurley USH 45 in Antigo USH 10 in Osseo IH 535 in Superior STH 80 at Dexterville USH 41 at Green Bay Broad St. in Beloit
(12) STH 57	IH 43 N. of Saukville	STH 172 S. of Green Bay
STH 57 STH 59 STH 59	IH 43 in Green Bay STH 11 in Monroe USH 12 in Whitewater	Sturgeon Bay USH 14 in Union USH 164 E. of Wauke- sha
(13)STH 60 USH 61	STH 113 in Lodi IA Line at Dubuque, IA	IH 43 E. of Grafton STH 129 S.E. of Lancaster
USH 61 USH 63	STH 129 N.E. of Lancaster MN Line at Red Wing, MN	MN Line at La Crosse USH 2 W. of Ashland
STH 64 STH 64 (14)STH 65	STH 65 in New Richmond USH 45 in Antigo USH 10 in Ellsworth	STH 13 in Medford USH 41 in Marinette STH 64 at New Richmond
STH 66 STH 67 STH 67 STH 68	USH 51 at Stevens Point IH 94 S. of Oconomowoc CTH "B" S. of St. Cloud STH 33 at Fox Lake	Rosholt STH 28 in Mayville USH 151 N. of Kiel STH 49 at Waupun

Trans 276

	Danie	<b>D</b>	m-		
	Route STH 69	From IL Line	To CTH "PB" at Paoli		
	STH 70	STH 48 in Grantsburg	USH 53-63 in Spooner		
	STĤ 71	STH 54 at Melrose	STH 80 in Elroy		
5	STH 73	IH 90 N. of Edgerton	STH 19 in Marshall		
	STH 73	USH 151 S.W. of Columbus			
			Rapids		
	STH 73	STH 95 S. of Neillsville	STH 64 S. of Gilman		
(15m	) STH 70	MN Line	STH 48 in Grantsburg		
	STH 76	USH 10 W. of Appleton IH 90-94 S. of Portage	USH 45 at Greenville USH 51 N. of Portage		
	STH 78 STH 79	USH 12 N.W. of Me-	STH 170 at Boyceville		
•	J111 10	nomonie	STIT ITO At Doycevine		
(17) §	STH 80	STH 11 S. of Cuba City	USH 14 at Richland		
` '			Center		
	STH 80	STH 33 in Union Center	STH 13 at Pittsville		
5	STH 81	STH 35 N.E. of Beetown	STH 23 S. of Darling-		
	OMIT OF	CUDIT 11 M - 6 M	ton		
	STH 81 STH 82	STH 11 N. of Monroe	STH 11 S. of Brodhead USH 51 W. of Mon-		
ĸ.	3111 02	STH 80 N. of Elroy	tello		
	STH 83	STH 167 S. of Hartford	STH 60 in Hartford		
Ş	STH 85	USH 10 in Durand	STH 37 S.W. of Eau		
		•	Claire		
í	STH 87	USH 8 in St. Croix Falls	STH 48 S. of		
	OMET OF	TIOTE 44 NE A TO 1	Grantsburg		
	STH 89	USH 14 N. of Darien	USH 12 in Whitewater		
	STH 89 ı) STH 81	IH 94 at Lake Mills	STH 73 in Columbus STH 213 in Beloit		
	IH 90	STH 11 S. of Brodhead MN Line at La Crosse	IL Line at Beloit		
	STH 92	STH 69 W. of Belleville	STH 69 in Belleville		
	STH 93	USH 53 in Galesville	USH 53 in Eau Claire		
	IH 94	MN Line at Hudson	IL Line S. of Pleasant		
			Prairie		
5	STH 95	USH 53 at Blair	STH 73 S. of		
	CURTE OF	OMIT 19 in Mounterly	Neillsville		
	STH 97 STH 98	STH 13 in Marshfield STH 73 W. of Loyal	STH 153 in Stratford STH 13 in Spencer		
	STH 100	IH 94 in Oak Creek	IH 43 in Milwaukee		
(10)	,	III by in oan oreck	Co.		
,	STH 103	STH 49 S. of Brandon	USH 151 at LaMartine		
(20)	STH 110	USH 41 at Oshkosh	USH 10 E. of Fremont		
	STH 117	STH 29-47 in Bonduel	STH 22 in Cecil		
	STH 119	IH 94 in Milwaukee	STH 38 in Milwaukee		
	STH 121 STH 124	STH 93 in Independence	USH 53 in Pigeon Falls		
	STH 128	USH 53 N. of Eau Claire STH 29 in Spring Valley	STH 64 E. of Bloomer STH 170 in Glenwood		
,	5111 120	bili 20 in opinig vancy	City		
;	STH 129	USH 61 S.E. of Lancaster	USH 61 N.E. of		
			Lancaster		
	STH 131	USH 14-61 at Readstown	STH 56 at Viola		
	STH 131	STH 71 in Wilton	IH 90 S. of Tomah		
i	STH 133	USH 61 in Boscobel	USH 14 N. of Lone		
1	STH 139	USH 8 N. of Cavour	Rock Long Lake		
	USH 141	IH 43 at Bellevue	STH 29 at Bellevue		
, ,					
****	Register, December, 1994, No. 468				

From USH 41 at Abrams

Route USH 141

USH 8 S.E. of Niagara

Register, December, 1994, No. 468

STH 144	USH 45 at West Bend	STH 57 at Random Lake
STH 145	Broadway in Milwaukee	USH 41-45 in Milwaukee
(24) STH 150	STH 110 at Winchester	USH 41 at Neenah
ŬSH 151	IA Line at Dubuque, IA	S. Park St. in Madison
USH 151	IH 90-94 in Madison	TIOU 41 in Fond do
101 101	1H 90-94 III Madison	USH 41 in Fond du Lac
USH 151	STH 23 in Fond du Lac	USH 10 at Manitowoc
USH 158	IH 94 W. of Kenosha	STH 31 in Kenosha
STH 164	STH 43 N. of Big Bend	USH 18 E. of Wauke- sha
STH 164	IH 94 N. of Waukesha	STH 74 in Sussex
STH 165	IH 94 W. of Kenosha	STH 31 in Kenosha
STH 170	STH 128 in Glenwood City	STH 79 in Boyceville
STH 172	USH 41 in Ashwaubenon	IH 43 S.E. of Green
5111112	COM 44 III ASILWAUDERON	Bay
STH 173	STH 21 W. of Wyeville	STH 80 at Babcock
STH 175	STH 67 in Lomira	CTH "P" S. of The-
		resa
STH 178	CTH "S" N. of Chippewa	Jim Fails
	Falls	
(25) STH 186	STH 13-73 S. of Vesper	USH 10 in Auburndale
STH 190	STH 16 at Pewaukee	STH 100 in Wauwa-
		tosa
STH 194	STH 27 W. of Sheldon	CTH "G" in Sheldon
(26) STH 213	STH 11 in Orfordville	USH 14 in Evansville
STH 310	USH 10 N.W. of Manito-	STH 42 in Two Rivers
·	woc	
IH 535	5th St. in Superior	MN Line at Superior
IH 794	IH 43-94 in Milwaukee	Car Ferry Dr. in
		Milwaukee
IH 894	IH 94 W. of Milwaukee	IH 94 S. of Milwaukee
(26m) STH 213		STH 81 in Beloit
(27) CALUME		Date of in Boton
CTH "PP"		USH 10 in Brillion
(28) CHIPPEW	'A COUNTY:	
CTH "S"	STH 124 N. of Chippewa	STH 178 N. of Chip-
	Falis	pewa Falls
CTH "S"	Jim Falls	STH 27 E. of Jim Falls
CTH "Ŷ"	STH 124 W. of Jim Falls	Jim Falls
(29) COLUMBI	A COUNTY	
CTH "AW"	'STH 73 N. of Randolph	East County Line
(30) DANE CO	IINTV.	East County Line
CTH "N"	USH 51 in Stoughton	IH 90 N. of Stoughton
ČTH "PB"		USH 18-151 E. of
OIII IB	BIH 05 at 1 ath	Verona
(31) DODGE C	OHNTY:	
CTH "A"	STH 26 S. of Juneau	STH 68 at Fox Lake
CTH "A"	STH 33 W. of Fox Lake	North County Line
CTH "AW"	' West County Line	STH 49 W. of Waupun
CTH "C"	CTH "A" E. of Fox Lake	DITT 45 W. OF WAUPUIL
OIR C	OIH A E. OIFOX LAKE	USH 151 W. of
CTH "P"	STH 60 S. of Rubicon	Atwater STH 175 S. of Theresa
OIU L	PIU 00 P' O' L'ADICOR	BIT IO S. OI THEFESA

Trans 276

Route (31m) EAU CLAIRE COUNTY: ĆTH "R" S. County Line (31r) MANITOWOC COUNTY: CTH "W" USH 151 W. of Valders (32) FOND DU LAC COUNTY: CTH "AW" West County Line CTH "B" USH 41 S. of Fond du Lac CTH "B" USH 45 E. of Eden CTH "G" STH 67 S. of St. Cloud CTH "KK" West County Line CTH "M" STH 23 W. of Rosendale CTH "000" CTH "VVV" W. of Fond du Lac CTH "VVV" STH 23 W. of Fond du Lac (33) GREEN LAKE COUNTY: CTH "A" South County Line CTH "AW" STH 73 S. of Manchester CTH "K" CTH "A" S. of Green Lake (34) KENOSHA COUNTY: CTH "C" CTH "W" in Wilmot (35) MILWAUKEE COUNTY: CTH "BB" STH 100 in Franklin ĊŦĤ "Ĕ" West County Line CTH "PP" **USH 41** (36) ROCK COUNTY: CTH "O" E. of Janesville CTH "J" CTH "O" USH 51 in Janesville (37) RUSK COUNTY: CTH "G" STH 194 in Sheldon CTH "I" STH 27 S. of Ladysmith (38) SHEBOYGAN COUNTY: CTH "PP" STH 67 S. of Plymouth CTH "RR" STH 57 at Random Lake (38m) TREMPEALEAU COUNTY: CTH "R" USH 10 E. of Osseo (38r) WASHINGTON COUNTY: CTH "Q" CTH "J" W. of Colgate CTH "Q" STH 175 in Menomonee Falls (39) WAUKESHA COUNTY: CTH "J" CTH "VV" in Sussex CTH "Q" Colgate Road in Colgate CTH "VV" STH 83 at North Lake (40) WINNEBAGO COUNTY: CTH "M" South County Line (40m) CITY OF BELOIT: Broad St. STH 213 in Beloit (41) CITY OF FOND DU LAC:

Pioneer Rd. Johnson Street

Register, December, 1994, No. 468

Tο

USH 12 W. of Augusta

USH 10 at Reedsville

STH 49 W. of Waupun USH 45 in Eden STH 67 S. of St. Cloud St. Cloud STH 44-49 S. of Ripon North County Line Main St. in Fond du Lac CTH "000" W. of Fond du Lac

CTH "K" S. of Green Lake East County Line East County Line

USH 45 S. of Bristol

STH 38 in Oak Creek 73rd St. in Milwaukee Port Washington Rd.

STH 11 CTH "J" E. of Janesville

USH 8 in Ladysmith CTH "G" at Conrath

STH 57 IH 43 at Cedar Grove

N. County Line

Colgate Road in Colgate USH 41 in Menomonee Falls

CTH "Q" W. of Colgate STH 175 in Menomonee Falls East County Line

STH 44 at Pickett

USH 51 in Beloit

Scott Street

Route From Scott St. Pioneer Road (43) CITY OF JANESVILLE: Pioneer Road Delavan Dr. USH 51

(44) CITY OF MILWAUKEE:

Silver.

Spring Dr. (44m) CITY OF RIPON: Douglas St. E. Fond du Lac St. Oshkosh St. W. Fond du Lac St.

73rd Street

(45) CITY OF SUN PRAIRIE: Main St. **USH 151** 

Main Street

East Corporate Limit

East Corporate Limit

Oshkosh St. Douglas St.

STH 19

Note: The county trunk highways and other local roads or streets designated by s. Trans 276.07 (27) through (45) may be subject to weight restrictions imposed by local authorities and not known to the department. Seasonal weight restrictions may be imposed by local authorities under s. 349.16, Stats., but must be posted. Under s. 349.15, Stats., county trunk highways may be designated as Class "B" highways by the county highway committee. Similarly, other local authorities may designate highways they maintain as Class "B". Wheel, axle, axle group and gross weights are limited on Class "B" highways as provided by s. 348.16, Stats. Neither posting of Class "B" designations nor notification to the department is required. Therefore, the department recommends that motor carriers avoid overweight violations by verifying the applicable weight limits on these highways with the local authorities, before use.

Note: See s. Trans 276.09 (1) regarding applicability of s. Trans 276.07 (11m), (17m), (26m) and (40m),

History: Cr. Register, December, 1984, No. 348, eff. 1-1-85; emerg. am. eff. 6-6-86; am. Register, December, 1986, No. 372, eff. 1-1-87; am. (3) to (8), (12), (15), (17), (18), (21) to (24), (28) and (39), cr. (31m) and (38m), r. (42), Register, February, 1988, No. 386, eff. 3-1-88; am. (3), (4), (9), (12), (14), (15), (17) and (36), cr. (38r), Register, May, 1989, No. 401, eff. 6-1-89; cr. (11m), (17m), (26m) and (40m), Register, July, 1990, No. 415, eff. 8-1-90; am. (4), (6), (7), (13), (14), (15), (26) and (31), cr. (31r), Register, Cotoher, 1990, No. 418, eff. 11-1-90; am. (11), (13), (14) and (15), cr. (44m), Register, April, 1991, No. 424, eff. 5-1-91; am. (8), (11), (14), (17) and (18), cr. (8m), (17s) and (26s), Register, May, 1991, No. 425, eff. 6-1-91; am. (3), (8), (9), (13), (15), (16), (18), (21) and (24), Register, November, 1991, No. 431, eff. 12-1-91; am. (3), Register, December, 1991, No. 432, eff. 1-1-92; am. (8), (11), (17), (20) and (24), Register, March, 1992, No. 435, eff. 4-1-92; am. (1) to (8), (9) to (14), (17), (17m), (18), (21) to (24), (26) and (39), r. (8m), (17s) and (26s), cr. (15m), Register, July, 1992, No. 439, eff. 8-1-92; am. (6) and (13), Register, May, 1993, No. 449, eff. 6-1-93; am. (5), (10) and (36), r. (38r), Register, July, 1994, No. 463, eff. 8-1-94; am. (8), (10), (13), (14), (19), (24), (31), (39), cr. (38r), Register, December, 1994, No. 468, eff. 1-1-95.

Trans 276.075 Designated access routes. The following highway is designated for the purpose of the operation of the specified vehicles and combinations with lengths as provided in s. 348.07 (4), Stats., to gain access to locations within the 5 mile limit as provided in s. 348.07 (4), Stats.:

Route From **USH 12** STH 128 E. of Hersey

STH 79 N.W. of Menomonie

History: Cr. Register, July, 1992, No. 439, eff. 8-1-92.

Trans 276.08 Detours, bypasses and alternate routes. When a highway designated in s. Trans 276.07 or 276.075 is closed and detoured as authorized by s. 84.02 (10) (b), Stats., vehicles being operated under ss. 348.07 (2) (f), (fm), (gm), (gr), (4) and 348.08 (1) (e), Stats., may be operated on the detour until the regular route of the highway is reopened to traffic. When a bypass or alternate route is recommended by the department for a highway designated in s. Trans 276.07 or 276.075 in order to reduce congestion, improve access or improve public safety, vehicles being operated under ss. 348.07 (2) (f), (fm), (gm), (gr), (4) and 348.08 (1) (e), Trans 276

Stats., may be operated on the recommended bypass or alternate route. Notice of a recommended bypass or alternate route may be given by signs or other appropriate methods.

History: Cr. Register, December, 1991, No. 432, eff. 1-1-92; emerg. am. eff. 11-24-93; am. Register, April, 1994, No. 460, eff. 5-1-94.

Trans 276.09 Applicability. (1) The treatment of s. Trans 276.07 (11m), (17m), (26m) and (40m) applies beginning January 1, 1992, and ending when any one of the following occur:

- (a) The department determines, by rule, that the state of Illinois has designated Illinois state trunk highway 26 from the Wisconsin border to U.S. highway 20, north of Freeport, Illinois, as a designated highway for the operation of vehicles and combinations of vehicles the overall length of which cannot be limited.
- (b) The department, as a result of the Rock County Transportation Study authorized by 1989 Wis. Act 31, Section 3053 (7e), determines and designates a more feasible alternative route than the route provided under s. Trans 276.07 (11m), (17m), (26m) and (40m).
  - (c) On January 1, 1996.
- (2) The treatment of s. Trans 276.07 (15m) applies when the state of Minnesota has designated Minnesota state trunk highway 70/county trunk highway 110 from the Wisconsin border to interstate highway 35.

Note: Sections Trans 276.07 (11m), (17m), (26m) and (40m) and 276.09 (1) shall expire on December 31, 1995.

History: Cr. Register, July, 1990, No. 415, eff. 8-1-90; 276.09 renum. to (1), cr. (2), Register, May, 1991, No. 425, eff. 6-1-91; r. and recr. (2), Register, July, 1992, No. 439, eff. 8-1-92.

Trans 276.10 Tire load carrying capacity in excess of 13,000 pounds. (1) Subject to the restrictions and limitations in sub. (2), the weight on the steering axle of a truck tractor may exceed 13,000 pounds if the sum of the maximum load carrying capacities of the tires used on that axle, as certified by the tire manufacturer, allows a greater steering axle load.

- (2)(a) The actual weight on the steering axle of a truck tractor may not exceed the sum of the maximum load carrying capacities of the tires used on that axle and in any event may not exceed 20,000 pounds.
- (b) The extra weight privilege allowed by this chapter is available only when the tires used on the steering axle of a truck tractor have the manufacturer's certified load carrying capacity embossed thereon in compliance with applicable federal regulations. If the tires on a steering axle have no certified load carrying capacity embossed on them, the steering axle is restricted to the 13,000 pound load limit prescribed in s. 348.15 (3) (b), Stats.
- (c) This chapter does not authorize the operator of a truck tractor to exceed the gross axle weight rating (G.A.W.R.) established by the manufacturer of the steering axle being used.
- (d) The tires on the steering axle of a truck tractor exceeding the statutory 13,000 pound weight limit shall have equal load carrying capacity and shall be properly inflated.

History: Emerg. cr. eff. 3-9-78; cr. Register, June, 1978, No. 270, eff. 7-1-78; renum. from Hy 36.02, Register, July, 1991, No. 427, eff. 8-1-91.